



महाराष्ट्र शासन

PH.NO.22620390,22611667,22611654,22611871

Email:- suptd.camahospital@gmail.com

कामा व आल्ब्लेस रुग्णालय, महानगर पालिका मुंबई - ४०० ००९

CAMA & ALBLESS HOSPITALS, MAHAPALIKA MARG, MUMBAI-400001

Quotaion Notice

No.CAH/PUR//Quotaion/ Kits Chemical / 2022

Date: 23/04/2022

To,

Sub : Quotation for the Purchase of kits, Chemicals

Dear Sir,

You are requested to kindly send your lowest rates for the purchase following Items of this Hospital.

Please send your sealed quotation duly marked there on Quotation for purchase of Kits, Chemicals due on 21/04/2022

Your quotation must be submitted in a sealed envelope at the office of this Hospital before 21/04/2022 at 5.00 pm. The reference number of the Quotation should be shown on the sealed envelope.

The right of accepting of the quotation or rejection the same without giving any reason there of reserved.

Sr. No.	Item Name	Specification	Qty
01	Cervical Cancer Screening Test (USFD/WGO approved HPV test)	The kit should have capability to perform both the tests 1) The Hpv test should have clinically approved & published sensitivity & specificity. The negative predictive value should be more than 99%. The HPV test must detect carcinogenic high-risk HPV DNA of 14 types (16, 18 and others) with genotyping of type 16 & 18 in single analysis. The HPV test should be approved by FDA as primary screening test for the age of 25 years and above women. The processing Laboratory should have NABL accreditation of atleast 3 years in the respective area. To be used for HPV test kit.	
02	Sexually Transmitted infection Panel test (Detection 9 micro organisms in single test)	The kit should have capability to perform both the tests 1) The STI test should simultaneously detect presence of chlamydia trachomatis, neisseria gonorrhoeae, mycoplasma genitalium, trichomonas vaginalis, gardnerella vaginalis, ureaplasma urealyticum/pavum & herpes simplex virus 1 & 2 in a single test. It should be validated for cervical/vaginal samples & should be IVD/FDA approved. The detection should be based on Real time PCR. The processing Laboratory should have NABL accreditation of atleast 3 years in the respective area. To be used for STI test.	

Superintendent,
Cama & Albles Hospital, Mumbai